

MICRO BIRD® MB-II GM - SCHOOL BUS



Economical transportation for up to 20 passengers



Integrated child seats and 3-point lap and shoulder seat belts are available for enhanced safety and versatility.



Maximum visibility of loading zone is provided by fully-glassed entrance door and unobstructed "More-View" window. Standard 24" electric double-opening door.



LED clearance lights, direction lights, stop lights and back-up lights are standard equipment offering enhanced safety, while reducing operating and maintenance costs.



Also Available:

Special needs Micro Bird with double-leaf wheelchair doors offer protection on both sides of the lift, thus adding to passenger safety, while offering superior weather seal and door strength.



THE NEXT GENERATION OF BLUE BIRD STARTS NOW.

LEARN MORE AT WWW.BLUE-BIRD.COM

MICRO BIRD® MB-II GM - SPECIFICATIONS



BODY DIMENSIONS	MODEL	400	500	700	800
	Maximum passenger capacity	20	20	20	14
	Number of rows	4	5	4	5
	Exterior length overall	239"	260"	239"	260"
	Exterior width overall	86"	86"	86"	86"
	Exterior height overall	101"	101"	109"	109"
	Interior floor length	131"	156"	131"	156"
	Interior width at hip	82"	82"	82"	82"
	Interior height at center line	66"	66"	74"	74"
	Entrance door	24" x 72"	24" x 72"	24" x 77"	24" x 77"
Side windows	23" x 22"	23" x 22"	31" x 22"	31" x 22"	
Rear bumper	3/16" x 8" with 12" wrap around				
GMC / CHEVY CHASSIS	MODEL	400	500	700	800
	Wheelbase	139"			
	Engine	4.8 L gas / 6.0 L gas			
	Transmission	6-speed automatic heavy duty overdrive			
	GVWR	9,900 lbs			
	Fuel tank	33 gallons			
	Brakes	4-wheel anti-lock, 4-wheel disc			
	Tires	LT245/75R16E all-season, blackwall			
	Alternator	145 amp			
Battery	600 CCA (gas)				

STANDARD BODY EQUIPMENT	8 ways (4 amber and 4 red)	Padding all doors
	8 ways black around vinyl tape	Paint exterior yellow
	Bumper aluminum	Paint interior white
	Emergency triangular warning device*	Paint rub rail black
	Entrance door electric	Rear door 2 windows
	Entrance door grab handle left	Rear door 3 point slide bar latch
	Floor plywood 1/2" (4 ply)	Rear door buzzer
	Flooring grey rib in aisle	Rear door retainer*
	Flooring grey smooth under seat	Reflective tape rear emergency exit*
	Flooring steps grey with white nosing	Roof bow one piece, hat section type
	FMVSS seat belt anchorage	Rub rail floor level
	Heater 20,500 BTU	Rub rail seat level with wrap around
	Interior below window embossed aluminum	Shut-off valve under body
	Interior mirror 6" x 16"	Speakers (2)
	Joint strength	Stepwell light LED
	Lights clearance LED	Stop arm
	Lights dome (4)	Undercoating
	Lights marker LED	Windows back (2) tinted 62%
	Lights back-up LED	Windows rear door tinted 62%
	Lights stop and tail LED	Windows side tinted 62%
Lights turn LED	*Standard in the US, optional in Canada	
Mirrors crossview		
Mirrors rearview		

OPTIONS	Air conditioning	Lift door with tinted windows
	Audio / P.A. systems	Lift wheelchair
	Back-up sensors	Lift wheelchair tie-down
	Barriers	Light monitoring system
	Bumper steel	Luggage containment systems
	Driver side auxiliary step	Paint roof white
	Electronic sleeping child monitoring system	Reflective exterior signs
	Emergency equipment	Remote / heated mirrors
	Entrance door grab handle right	Rub rail skirt level
	Floor plywood 5/8" (5 ply) marine grade	Rub rail window level
	Floor steel	Seats
	Heater 42,000 BTU	Vandal lock system
	Integrated toddler seats	Video monitoring / tracking system
	Lap and shoulder belt seating	Wheelchair and occupant restraint system
	Lift door	Wheelchair lift with interlock device



Galvanized Steel Structure and Side Impact Barriers

- Completely gasketed steel body frame ensures that all exterior elements, including dust, moisture and noise, remain outside the passenger compartment.
- Superior side impact protection is offered by the use of heavy-gauge steel side impact barriers that incorporate the seat rail into the design for extra strength.



Double Action Energy Absorbing Body Mounting Blocks

- Absorb road vibration
- Reduce noise transfer to the cabin interior
- Offer extended body durability
- Smoother passenger ride
- Prevent frame collapse
- Eliminate the need for periodic tightening of body bolts



Superior Insulation

- 1.5" fiberglass throughout
- Insulated roof bows
- Reduction in noise transfer into passenger compartment
- Prevents condensation.




Patented Extra Wide Oval Body

- Aerodynamic styling
- Wider seating for increased comfort
- Wider aisle for increased safety
- Better compartmentalization

Floor Plans

A wide range of configurations to better accommodate your needs.



More options available...

Specifications shown in this brochure were in effect at time of printing. In keeping with its policy of continual improvement, Micro Bird, Inc. reserves the right to change specifications without notice and without incurring obligations.